


# Intelligent Sensor Line Co., Ltd.



*Products Brochure*

**Ver. 1.1**

# Intelligent Sensor Line Co., Ltd.

*To adapt and respond to rapidly changing domestic and international corporate environment, it is believed to be necessary to reduce the cost by making things automatic and improve the product quality. As the company that deals professionally with various control instruments required for automation, we manufacture and sell temperature pressure flow rate level sensor, and strive to find application needed in shipbuilding industry, aircraft industry, chemicals, plants, and heat treatment installation. In particular, by simultaneously building monitoring and control instrumentation system, we try to assist in productivity and product quality improvement.*



18, Chasang-ro, 8beon-gil, Uichang-gu, Changwon-si, Gyeongsangnam-do, Korea Postcode : 51402  
TEL : +82-55-238-1072 FAX : +82-55-238-1062 Homepage : [www.eisl.co.kr](http://www.eisl.co.kr)

# COMPANY HISTORY

*2001. 02. 14 Established the company ISL INSTRUMENT*

*2002. 06. 22 Build a joint Factory with DONGYANG SENSOR*

*2005. 07. 01 Product of THERMOCOUPLE, RTD SENSOR*

*2005. 07. 18 Registration of Design SCALE INDICATE THERMOCOUPLE*

*2007. 01. 01 Merged with the DONGYANG SENSOR CHANGWON FACTORY*

*2008. 09. 11 Certified for ISO9001*

*2008. 10. 10 INTELLIGENT SENSOR LINE Co., Ltd. Opening*

*2009. 10. 01 Product of LEVEL SWITCH*

*2010. 01. 20 Certified for Reliability Industrial Thermometer Sensor*

*2012. 08. 05 Move the HEAD OFFICE*

*2012. 11. 13 Registration of Patent NITRADE HEAT TREATMENT SENSOR*




*2013. 12. 05 Registration of INO-BIZ*

*2014. 10. 22 Established a RESEARCH INSTITUTE*


*2015. 08. 13 Registration of Patent OXIGEN SENSOR VERIFIER*

*2015. 10. 21 Certification of RISK ASSESSMENT*

# CERTIFICATES



# SALES SECTOR



# SHEATH THERMOCOUPLE

## PICTURE



## INFORMATION

- Product : SHEATH THERMOCOUPLE
- Category: THERMOCOUPLE
- Description : SHEATHED THERMOCOUPLE can measure a wide range of temperature from -200 °C to 1300 °C.
- Feature:  
This product can be made THERMOCOUPLE K, J, R, T, N, etc. Selecting length, thickness, material etc. you can customize and use this product.
- Model : ISL-1000 Series
- This product is available for the overall sector automotive, steel, pharmaceutical, shipbuilding, chemical, etc.

# THERMOCOUPLE

## PICTURE



## INFORMATION

- Product : THERMOCOUPLE
- Category : THERMOCOUPLE
- Description : With thermocouple type K , it is designed to measure range -200~1300 °C.
- Feature:
  - Material of tube : SUS310S OR SUS316 OR SUS304
  - Diameter of : 21.7Φ OR OTHER
  - Length of : 100~3000mm
  - KS CLASS B
- Model : ISLS-2000 Series
- This product is available for the overall sector automotive, steel, pharmaceutical, shipbuilding, etc.

# RESISTANCE THERMOMETER SENSOR

## PICTURE



## INFORMATION

- Product : RTD
- Category : R.T.D(RTD)
- Description : It is a PT 100 device and can measure the  $-200 \sim 300 \text{ }^{\circ}\text{C}$ . by applying a circular connectors It is easy to remove and attach .
- Feature :  
Material of protection : SUS316L OR SUS304  
Diameter of :  $3.2\Phi$  OR OTHER  
Length of : 50~1000mm  
Connection screw : PT1/2 OR OTHER  
KS CLASS A
- Model : ISL-4000 Series
- This product is available for the overall sector automotive, steel, pharmaceutical, shipbuilding, chemical, etc.



# THERMOWELL

## PICTURE



## INFORMATION

- Product : THERMOWELL
- Category : THERMOWELL
- Description : This product can be protection for RTD sensor and thermocouple.

Model : ISL-6500 Series

- This product is available for the overall sector automotive, steel, pharmaceutical, shipbuilding, chemical, etc.

18, Chasang-ro, 8beon-gil, Uichang-gu, Changwon-si, Gyeongsangnam-do, Korea Postcode : 51402

TEL : +82-55-238-1072 FAX : +82-55-238-1062 Homepage : [www.eisl.co.kr](http://www.eisl.co.kr)

# LEVEL SWITCH

## PICTURE



## INFORMATION

- Product : LEVEL SWITCH
  - Category : LEVEL SWITCH
  - Description : This product can be used 2 points contact output or control of many points contact.
  - Feature :
    - Contact type : NORMAL OPEN
    - Number of HIGH, LOW and more
    - LENGTH : 100~2000 mm
    - MATERIAL : SUS304 OR SUS 316
    - CONNECTION : 2" SOCKET and other
    - PIPE DIAMETER : 8.0~13.0Φ
- Model : ISLS-600, 700 Series
- This product is available for the overall sector automotive, steel, pharmaceutical, shipbuilding, chemical, etc.

18, Chasang-ro, 8beon-gil, Uichang-gu, Changwon-si, Gyeongsangnam-do, Korea Postcode : 51402

TEL : +82-55-238-1072 FAX : +82-55-238-1062 Homepage : [www.eisl.co.kr](http://www.eisl.co.kr)

# CARBON PROBE

## PICTURE



## INFORMATION

- Product : CARBON PROBE
- Category: OXYGEN SENSOR
- Description : This product is a compact, lightweight and simple.
- Feature: High-temperature carburizing heat treating and endothermic gas generators. High accuracy and repeatability. High efficiency, low maintenance. Compatible with all carbon controls.
- Probe Out diameter: 21.7Φ
- Probe length: 600mm / 700mm
- Probe material: SUS310
- Probe Connection Fitting : PT1”
- Model : CP-600-X1 / CP-700-X1

It is control furnace atmospheres and generator gas supplies over the full range of carburizing hardening applications.

# SAT UNIT FOR CARBON PROBE

## PICTURE



## INFORMATION

- Product : SAT UNIT FOR CARBON PROBE
- Category: OXYGEN SENSOR
- Description : This product is a compact, lightweight and simple.
- Feature: It features a repeatability and accuracy when comparing measurements. The response to all carbon control system with a short preparation time and low maintenance.
- Probe Out diameter: 12.0Φ
- Probe length: 700mm
- Probe material: INC600
- Probe Connection Fitting : PT1/2"
- Model : O2SAT+S / O2SAT-X1

This equipment is used to verify parts of the control system of carbon in the carburizing heat treatment.

# WIRELESS MELTING THERMOMETER

## PICTURE



## INFORMATION

- Product : WIRELESS MELTING THERMOMETER
- Category: MELTING THERMOMETER
- Description : MELTING THERMOMETER can be measured 0 ~1700 °C temperature range.
- Feature :  
Input type : R, S, K  
Holder material : SUS316 OR SUS304  
Wasting Thermocouple length:  
150~1500mm  
Wireless area : 500M  
Maximum Each Thermometer: 8ch
- Model : ISL-WLT SERIES
- This product is available for the overall sector steel melting, aluminum melting process.

# DATA ACQUISITION UNIT

## PICTURE




## INFORMATION

- Product : DATA ACQUISITION UNIT
- Category: DATA ACQUISITION
- Description:  
The multi point analog data collection and alarm device
- Feature: This product's features are a real-time monitoring and data collection performed at the same time, while the real-time alarm information is available, it is easy and simple to install and configure.
- Model : ISL-SYS-DAQ
- This auto parts plant product is designed for the heat management system. Can be used for any purpose other than.

# WIRELESS DATA MONITORING SOLUTION

## PICTURE



## INFORMATION

- Product :  
WIRELESS DATA MONITORING SOLUTION
- Category : WIRELESS DATA MONITORING
- Description : It is real time wireless data monitoring system in industry the scene.
- Feature: Support a variety of communication methods, 2.4GHz wireless communication, Industrial MODBUS TCP, HTTP for Web Server , Remote Setup TELNET.
- Model : RN001, RN300, RN910, RN200, RN500
- Professional monitoring software.  
Cloud Monitoring Services.  
Automatic report output .  
PC Type Monitoring Software





# ANALOG/HYBRID RECORDER

## PICTURE




## INFORMATION

- Product : ANALOG RECORDER, HYBRID – RECORDER
- Category: PAPER RECORDER
- Description This product is a new Digital Hybrid Recorder and Analog Recorder and High Speed Multi Large Recorder.
- Feature :  
Recorder Size: 100mm, 180mm, 250mm  
External Memory : SD Card 2GB (Hybrid Type)  
Input Channel : 6ch ~ 48ch
- Model : AH4000, AL4000, LE5000, EH3000, EL3000
- These products are the domestic production can be applied in many fields such as semiconductor, steel, pharmaceutical, electronics, appliances, machinery, metal, ceramics, chemicals, papermaking Plant, food products.

# GRAPHIC RECORDER

## PICTURE




## INFORMATION

- Product : GRAPHIC RECORDER
- Category: PAPERLESS RECORDER
- Description This product is a new Graphic Recorder and set the system,.
- Feature :
  - Recorder Size: 100mm, 180mm
  - Graphic Display : 5.2" TFT LCD, 12.1" TFT LCD
  - Internal Memory : 64MB, 96MB
  - External Memory : CF Card 4GB, SD Card 2GB
  - Input Channel : 6ch ~ 48ch
- Model : KR2000, KR3000, SDR100, 6100A, 6180A
- These products are the domestic production can be applied in many fields such as semiconductor, steel, pharmaceutical, electronics, appliances, machinery, metal, ceramics, chemicals, papermaking Plant, food products.

# INFRARED THERMOMETER

## PICTURE




## INFORMATION

- Product : INFRARED THERMOMETER
- Category: INFRARED THERMOMETER
- Description: This product is a non-contact thermometer and set the system, can measure a wide range of temperature from  $-20\text{ }^{\circ}\text{C}$  to  $3000\text{ }^{\circ}\text{C}$ .
  
- Model : IR-CA, IR-CS, IR-FA, IR-SA, IR40, IR20
- These products are the domestic production can be applied in many fields such as semiconductor, steel, pharmaceutical, electronics, appliances, machinery, metal, ceramics, chemicals, papermaking Plant, food products

# POWER REGULATOR

## PICTURE



## INFORMATION

- Product : POWER REGULATOR
- Category: SCR
- Description: These products are new Digital Power Regulator and set the system. These products are True Power Control is Possible.
- Feature :  
Control Type: Phase Angle and Zero Cross Switching.  
Controlled Phases: 1 $\Phi$  / 3 $\Phi$   
Maximum Voltage: 500V, 690V  
Maximum Current: 800A ~ 4000A
- Model : EPower, Epack, JT, JS, JU, STR Series
- These products are the domestic production can be applied in many fields such as semiconductor, steel, pharmaceutical, electronics, appliances, machinery, metal, ceramics, chemicals, papermaking Plant, food products.

# PRESSURE TRANSMITTER

## PICTURE



## INFORMATION

- Product : PRESSURE TRANSMITTER
- Category: PRESSURE
- Description: This product is a Precision pressure Transmitter and set the system, succeeding the current accuracy :  $\pm 0.2\%$  ,  $\pm 0.05\%$
  
- Model : MS-P100, MSP-200, MS-P500, VPRQ, VPRT, EXVPM Series
  
- These products are the domestic production can be applied in many fields such as semiconductor, steel, pharmaceutical, electronics, appliances, machinery, metal, ceramics, chemicals, papermaking Plant, food products.

# FLOW METER

## PICTURE



## INFORMATION

- Product : FLOW METER
- Category: FLOW
- Description: This product is a Digital Flow meter and set the system, succeeding the current accuracy :  $\pm 2.5\%$ ,  $\pm 0.5\%$
- Model : KOI, KMT, KOT, KOM, MH Series
- These products are the domestic production can be applied in many fields such as semiconductor, steel, pharmaceutical, electronics, appliances, machinery, metal, ceramics, chemicals, papermaking Plant, food products.

# HEATER

## PICTURE




## INFORMATION

- Product : ELECTRIC HEATER
- Category: HEATER
- Description: This product is a Industrial Electric Heater and Immersion Heater and Cartridge Heater and KANTHAL's Strip & Wire Heater.
- 
- These products are the domestic production can be applied in many fields such as semiconductor, steel, pharmaceutical, electronics, appliances, machinery, metal, ceramics, chemicals, papermaking Plant, food products.

# THERMOCOUPLE WIRE

## PICTURE



## INFORMATION

- Product : THERMOCOUPLE WIRE and EXTENTION WIRE
- Category: WIRE & CABLE
- Description: This Product is a High-Accuracy and High-Temperature thermocouple wire and Extension wire.
- Feature
- Element wire: AWG36 ~AWG18
- Insulation material : PVC, TEFRON, Glass Fiber, Ceramic Fiber
- These products are the domestic production can be applied in many fields such as semiconductor, aerospace, steel, pharmaceutical, electronics, appliances, machinery, metal, ceramics, chemicals, papermaking Plant.

18, Chasang-ro, 8beon-gil, Uichang-gu, Changwon-si, Gyeongsangnam-do, Korea Postcode : 51402

TEL : +82-55-238-1072 FAX : +82-55-238-1062 Homepage : [www.eisl.co.kr](http://www.eisl.co.kr)



# PARTNERS

Eurotherm.

by Schneider Electric



CHINO



Ω OMEGA®



18, Chasang-ro, 8beon-gil, Uichang-gu, Changwon-si, Gyeongsangnam-do, Korea Postcode : 51402

TEL : +82-55-238-1072 FAX : +82-55-238-1062 Homepage : [www.eisl.co.kr](http://www.eisl.co.kr)



18, Chasang-ro, 8beon-gil, Uichang-gu, Changwon-si, Gyeongsangnam-do, Korea Postcode : 51402  
TEL : +82-55-238-1072 FAX : +82-55-238-1062 Homepage : [www.eisl.co.kr](http://www.eisl.co.kr)